


**TEST BANK FOR INTEGRATED SCIENCE
7TH EDITION TILLERY ISBN
9780077862602**



Integrated Science, 7e (Tillery)
Chapter 2 Motion

1) Galileo reasoned that the distance a freely falling object travels is proportional to the square of the time.

Answer: TRUE
Section: 02.05
Topic: Falling Objects
Bloom's: 4. Analyze
Accessibility: Keyboard Navigation
Chapter: 02

2) If a 16 lb bowling ball and a 10 lb bowling ball are dropped from the 5th floor at the same time the heavier ball will reach the ground first.

Answer: FALSE
Section: 02.05
Topic: Falling Objects
Bloom's: 4. Analyze
Accessibility: Keyboard Navigation
Chapter: 02

3) When you roll a ball across the floor, it comes to a stop because you are no longer exerting a force on it.

Answer: FALSE
Section: 02.04
Topic: Motion
Bloom's: 4. Analyze
Accessibility: Keyboard Navigation
Chapter: 02

4) An object accelerates when its speed or direction changes.

Answer: TRUE
Section: 02.02
Topic: Motion
Bloom's: 2. Understand
Accessibility: Keyboard Navigation
Chapter: 02

5) A car traveling at 20 mph on a curved exit ramp has a constant velocity.

Answer: FALSE

Section: 02.02

Topic: Motion

Bloom's: 3. Apply

Accessibility: Keyboard Navigation

Chapter: 02

6) Newton's 2nd law states that if a net force acts on an object, it will move at constant velocity.

Answer: FALSE

Section: 02.06

Topic: Newton's laws

Bloom's: 3. Apply

Accessibility: Keyboard Navigation

Chapter: 02

7) For a constant mass the acceleration of an object is directly proportional to the applied force.

Answer: TRUE

Section: 02.07

Topic: Newton's laws

Bloom's: 3. Apply

Accessibility: Keyboard Navigation

Chapter: 02

8) The football team wins a tug of war with the chess team because it pulls harder on the rope than the chess team does.

Answer: FALSE

Section: 02.06

Topic: Newton's laws

Bloom's: 3. Apply

Accessibility: Keyboard Navigation

Chapter: 02

9) The momentum of an object remains the same unless an unbalanced force acts on it.

Answer: TRUE

Section: 02.08

Topic: Momentum

Bloom's: 3. Apply

Accessibility: Keyboard Navigation

Chapter: 02

10) A child on a carousel moving at constant speed has an acceleration of zero.

Answer: FALSE

Section: 02.02

Topic: Newton's laws

Bloom's: 3. Apply

Accessibility: Keyboard Navigation

Chapter: 02

11) The speed calculated from the distance traveled during an entire trip and the elapsed time is a(an)

A) average speed.

B) instantaneous speed.

C) final speed.

D) constant speed.

Answer: A

Section: 02.02

Topic: Motion

Bloom's: 2. Understand

Accessibility: Keyboard Navigation

Chapter: 02

12) Ignoring air resistance, the velocity of a falling object

A) is constant.

B) is constantly increasing.

C) increases for a while, then becomes constant.

D) depends on the mass of the object.

Answer: B

Section: 02.05

Topic: Falling Objects

Bloom's: 3. Apply

Accessibility: Keyboard Navigation

Chapter: 02

13) The difference in speed and velocity is that a measure of velocity must include

- A) a destination.
- B) distance and time units.
- C) direction.
- D) time of departure.

Answer: C

Section: 02.02

Topic: Motion

Bloom's: 2. Understand

Accessibility: Keyboard Navigation

Chapter: 02

14) The tendency of a moving object to remain in unchanging motion in the absence of an unbalanced force is called

- A) inertia.
- B) free fall.
- C) acceleration.
- D) impulse.

Answer: A

Section: 02.03

Topic: Newton's laws

Bloom's: 2. Understand

Accessibility: Keyboard Navigation

Chapter: 02

15) Galileo discovered that an object in free fall (ignoring air resistance)

- A) falls at constant velocity.
- B) has a velocity proportional to its weight.
- C) falls with increasing acceleration.
- D) All of the choices are correct.

Answer: D

Section: 02.05

Topic: Falling Objects

Bloom's: 2. Understand

Accessibility: Keyboard Navigation

Chapter: 02

16) A cannonball is fired straight up at 50 m/s. Neglecting air resistance, when it returns to its starting point, its speed is

- A) 50 m/s.
- B) more than 50 m/s.
- C) less than 50 m/s.
- D) It depends on how long it is in the air.

Answer: A

Section: 02.05

Topic: Falling Objects

Bloom's: 4. Analyze

Accessibility: Keyboard Navigation

Chapter: 02

17) A heavy object and a light object are dropped from rest at the same time in a vacuum. The heavier object will reach the ground

- A) before the lighter object.
- B) at the same time as the lighter object.
- C) after the lighter object.
- D) It depends on the shape of the object.

Answer: B

Section: 02.05

Topic: Falling Objects

Bloom's: 4. Analyze

Accessibility: Keyboard Navigation

Chapter: 02

18) The newton is a unit of

- A) motion.
- B) energy.
- C) power.
- D) force.

Answer: D

Section: 02.07

Topic: Newton's laws

Bloom's: 4. Analyze

Accessibility: Keyboard Navigation

Chapter: 02

- 19) The pound is an English unit of measure; its SI counterpart is the
- A) newton.
 - B) kilogram.
 - C) joule.
 - D) momentum.

Answer: A

Section: 02.07

Topic: Newton's laws

Bloom's: 3. Apply

Accessibility: Keyboard Navigation

Chapter: 02

- 20) If a net force applied to an object doubles, then its
- A) velocity doubles.
 - B) acceleration doubles.
 - C) acceleration is cut in half.
 - D) acceleration increases by a factor of four.

Answer: B

Section: 02.07

Topic: Motion

Bloom's: 4. Analyze

Accessibility: Keyboard Navigation

Chapter: 02

- 21) A block of iron is transported to the moon. Which of the following is true?
- A) Both the mass and weight remain unchanged.
 - B) The mass decreases, but the weight remains the same.
 - C) The mass remains the same, but the weight decreases.
 - D) Both the mass and weight decrease.

Answer: C

Section: 02.07

Topic: Motion

Bloom's: 4. Analyze

Accessibility: Keyboard Navigation

Chapter: 02

- 22) A cannon ball and a bowling ball were dropped at the same time from the top of a building. At the instant before the balls hit the sidewalk, the cannon ball has greater
- A) velocity.
 - B) acceleration.
 - C) momentum.
 - D) All of these are the same for the two balls.

Answer: C

Section: 02.08

Topic: Momentum

Bloom's: 4. Analyze

Accessibility: Keyboard Navigation

Chapter: 02

- 23) An object moves at a constant 5.0 m/s. One could correctly conclude that
- A) no forces are acting on the object.
 - B) a constant force is applied to the object.
 - C) it was on a frictionless surface.
 - D) None of the choices are correct.

Answer: D

Section: 02.04

Topic: Motion

Bloom's: 4. Analyze

Accessibility: Keyboard Navigation

Chapter: 02

- 24) The product of the mass (m) and velocity (v) of an object is known as the
- A) momentum.
 - B) inertia.
 - C) centripetal force.
 - D) acceleration.

Answer: A

Section: 02.08

Topic: Momentum

Bloom's: 2. Understand

Accessibility: Keyboard Navigation

Chapter: 02

- 25) From the equation $w = mg$, it is apparent that weight is equivalent to a(an)
- A) force.
 - B) mass.
 - C) acceleration.
 - D) None of these.

Answer: A

Section: 02.06

Topic: Newton's laws

Bloom's: 4. Analyze

Accessibility: Keyboard Navigation

Chapter: 02

- 26) Which of the following is **not** a unit of speed?

- A) km/h
- B) ft/s
- C) m/s
- D) g/L

Answer: D

Section: 02.02

Topic: Motion

Bloom's: 4. Analyze

Accessibility: Keyboard Navigation

Chapter: 02

- 27) Which if the following is **not** a unit of acceleration?

- A) km/h^2
- B) m/s
- C) km/h/s
- D) m/s/s

Answer: B

Section: 02.02

Topic: Motion

Bloom's: 4. Analyze

Accessibility: Keyboard Navigation

Chapter: 02

28) An object is moving in a straight line at unchanging speed. This means that

- A) all forces on the object are balanced.
- B) there is an unbalanced force in the direction of motion.
- C) the force of movement is greater than the friction force.
- D) the force of movement is greater than the weight of the object.

Answer: A

Section: 02.02

Topic: Newton's laws

Bloom's: 4. Analyze

Accessibility: Keyboard Navigation

Chapter: 02

29) Ignoring air resistance, a falling object will have a speed of 9.8 m/s at the end of 1 s and will fall a distance of

- A) 2.5 m.
- B) 4.9 m.
- C) 9.8 m.
- D) 20 m.

Answer: B

Section: 02.02

Topic: Gravity and motion

Bloom's: 4. Analyze

Accessibility: Keyboard Navigation

Chapter: 02

30) Ignoring air resistance, a cannonball shot straight out from a mountain top with a speed of 8 km/s will

- A) fall to Earth as a projectile.
- B) stay the same distance above the surface.
- C) gain altitude as it moves.
- D) strike Earth in 9.8 seconds.

Answer: B

Section: 02.10

Topic: Newtons Law of Gravitation

Bloom's: 4. Analyze

Accessibility: Keyboard Navigation

Chapter: 02

- 31) An artificial satellite requires no engine because the satellite falls toward Earth as the surface
- A) curves away from it continuously.
 - B) falls at the same rate as the satellite.
 - C) is attracted by the Moon.
 - D) pulls harder on the satellite.

Answer: A

Section: 02.10

Topic: Newtons Law of Gravitation

Bloom's: 4. Analyze

Accessibility: Keyboard Navigation

Chapter: 02

- 32) A straight-line distance covered during a certain amount of time describes an object's
- A) speed.
 - B) velocity.
 - C) acceleration.
 - D) All of the choices are correct.

Answer: A

Section: 02.02

Topic: Motion

Bloom's: 2. Understand

Accessibility: Keyboard Navigation

Chapter: 02

- 33) How fast an object is moving in a particular direction is described by
- A) speed.
 - B) velocity.
 - C) acceleration.
 - D) All of the choices are correct.

Answer: B

Section: 02.02

Topic: Motion

Bloom's: 2. Understand

Accessibility: Keyboard Navigation

Chapter: 02

34) Acceleration occurs when an object undergoes

- A) a speed increase.
- B) a speed decrease.
- C) a change in the direction of travel.
- D) All of the choices are correct.

Answer: D

Section: 02.02

Topic: Motion

Bloom's: 2. Understand

Accessibility: Keyboard Navigation

Chapter: 02

35) A car moving at 60 mi/h comes to a stop in 10 s when the driver slams on the brakes. In this situation, what does 60 mi/h represent?

- A) average speed
- B) final speed
- C) initial speed
- D) constant speed

Answer: C

Section: 02.02

Topic: Motion

Bloom's: 4. Analyze

Accessibility: Keyboard Navigation

Chapter: 02

36) Is *any* change in the motion of an object an acceleration?

- A) Yes.
- B) No.
- C) It depends on the type of change.

Answer: A

Section: 02.02

Topic: Motion

Bloom's: 4. Analyze

Accessibility: Keyboard Navigation

Chapter: 02

- 37) A measure of how fast your speed is changing is a measure of
- A) velocity.
 - B) average speed.
 - C) acceleration.
 - D) difference between initial and final speed.

Answer: C

Section: 02.02

Topic: Motion

Bloom's: 4. Analyze

Accessibility: Keyboard Navigation

Chapter: 02

- 38) Neglecting air resistance, a ball in freefall near Earth's surface will have
- A) constant speed and constant acceleration.
 - B) increasing speed and increasing acceleration.
 - C) increasing speed and decreasing acceleration.
 - D) increasing speed and constant acceleration.

Answer: D

Section: 02.02

Topic: Gravity and motion

Bloom's: 4. Analyze

Accessibility: Keyboard Navigation

Chapter: 02

- 39) From a bridge a ball is thrown straight up at the same time a ball is thrown straight down with the same initial speed. Neglecting air resistance, which ball would have a greater speed when it hits the ground?
- A) The one thrown straight up.
 - B) The one thrown straight down.
 - C) Both balls would have the same speed.

Answer: C

Section: 02.06

Topic: Gravity and motion

Bloom's: 4. Analyze

Accessibility: Keyboard Navigation

Chapter: 02

- 40) After being released, a ball thrown straight down from a bridge would have an acceleration of
- A) 9.8 m/s^2 .
 - B) zero.
 - C) less than 9.8 m/s^2 .
 - D) more than 9.8 m/s^2 .

Answer: A

Section: 02.06

Topic: Gravity and motion

Bloom's: 4. Analyze

Accessibility: Keyboard Navigation

Chapter: 02